Pikes Peak Regional Building Department

2880 International Circle Colorado Springs, Colorado 80910

MEP COMMITTEE AGENDA

May 14, 2014 10:00 a.m.

1. CONSIDERATION OF THE APRIL 9, 2014 MEP COMMITTEE MINUTES

2. **COMPLAINT**

There are no Complaints to discuss.

3. CONSENT LICENSE REQUESTS

Mechanical Contractor A (Commercial)

ACADEMY SCHOOL DISTRICT TWENTY – ZACK GIBSON (SECONDARY EXAMINEE)

ACADEMY SCHOOL DISTRICT TWENTY – DANIEL KINDRED (SECONDARY EXAMINEE)

CASTLE REFRIGERATION – ERNEST SIMMONS (UPGRADE)

CS GROUP - MARK LUTZ

IMS HEATING & AIR, INC. – DWAYNE SHAWVER (UPGRADE)

UNITED MAINTENANCE INC DBA CARBON VALLEY HEATING AND AIR – JOSHUA ROBERTSON

WRIGHT TOTAL INDOOR COMFORT – JOHN PACE (CO. CHANGES EXAMINEE)

Mechanical Contractor B (Residential)

KURT KNAUS – KURT KNAUS

Mechanical Contractor C-1 (Gas Piping)

REHRMANN PLUMBING INC – EDWARD REHRMANN (ADDITIONAL LICENSE)

WESTERN FIREPLACE SUPPLY INC – DANIEL BOOHER (SECONDARY EXAMINEE)

Heating Mechanic I (Gas Pipe Fitter)

CLINTON GUTHRIE MARK GLADIN TYLER TREWEEKE Pikes Peak Regional Building Department MEP Committee Meeting Agenda May 14, 2014 Page 2

Heating Mechanic IV (HVAC Service Tech)

ABELARDO DE LEON **CLINTON GUTHRIE** DAVID ARNOLD, JR. DAVID BARRIER HAROLD BRIDGERS JACOB O'KEEFE **JUSTIN BARNES** JUSTIN COMER **KYLE LEWIS** LOYD NEAL MARK GLADIN PAUL OVERSTREET RYAN WILEY **SHAUN DIMMITT** TYLER JOHNSON TYLER TREWEEKE

LICENSE REQUESTS CONSIDERED INDIVIDUALLY

Mechanical Contractor A (Commercial)

INTEGRAL MECHANICAL SOLUTIONS - LISA LA ROCHELLE*

4. CONSENT CALENDAR

There are no Consent Calendar Variance Requests to discuss.

VARIANCE REQUESTS

- 5. 9208 Grand Cordera Parkway, Permit J01458 Damian Smith, M-E Engineers, requests a variance to Section 506.3.12.3, 2009 International Mechanical Code, to allow installation of a wall mounted grease exhaust fan with the bottom of the fan at approximately 7'0" above grade, where 10'0" above grade is required.
- 6. 5989 Hodgen Road Cherokee Metropolitan District requests a variance to Table 403.1, 2009 International Plumbing Code, to allow less than the minimum required number of plumbing fixtures.

7. UNFINISHED BUSINESS

Pikes Peak Regional Building Department MEP Committee Meeting Agenda May 14, 2014 Page 3

8. **NEW BUSINESS**

Respectfully submitted,

Henry W. Yankowski Regional Building Official

HWY:llg