Pikes Peak REGIONAL Building Department

RESIDENTIAL HVAC EQUIPMENT CERTIFICATE

ADDRESS OR MASTER PLAN #:

Provide this certificate with heat loss, or optional heat gain, calculations for all new residential construction and additions. This form is part of the permanent record.

		<u></u>				
	Duct Design	New Struct	ure	Existing Structure	Performa	nce Test
	New Addition Only	Existing str	ucture + New	Addition (requires s	eparate calculation	on for each)
<u>C/</u>	ALCULATIONS:					
1.	Envelope heat loss					BTU/hr
2.	Infiltration heat loss (.35 a	ch max)				BTU/hr
3.	Envelope heat gain (option				BTU/hr	
4.	Infiltration heat gain (option	nal)				BTU/hr
5.	Total heat loss (add lines	1 and 2)**				BTU/hr
6.	Total heat gain (add lines	3 and 4 - or	ptional)			BTU/hr
7.	Type of heating appliance				New	Existing
	BTU/hr input/_		Location		Area served	
8.	Type of heating appliance				_ New	Existing
	BTU/hr input/_		Location		Area served	
9.	Type of cooling appliance				_ New	Existing
	BTU/hr input/_		Location		Area served	
10	.Type of cooling appliance				_ New	Existing
	BTU/hr input/_		Location		Area served	
<u>SL</u>	JMMARY:					
A.	Input of heating appliance	(s)*				BTU/hr
В.	Altitude derate (x .80) NO	<u>)TE</u> : Use (x	. 72) in Woodl	and Park		BTU/hr
C.	Efficiency derate (output)					BTU/hr
D.	Electrical heating (1 watt =	= 3.413 BTL	J/hr)			BTU/hr
E.	Total Heating Output**					BTU/hr
F.	Total Cooling					BTU/hr
*If	using high/low fired equipn	nent, assign	sum of the lo	w fires on this line.		
Αp	plicant Signature				Date	
	int name & company				Phone	

2880 International Cr., Colorado Springs, CO 80910 • Telephone 719-327-2880 • www.pprbd.org

IECC/IRC VENTILATION VERIFICATION (New Homes Only)

Indicate method of compliance for <u>Whole-House Mechanical Ventilation System</u> (M1505 & M1505.4.3) (select all that apply)

Outside Air/Supply

Exhaust

 List <u>Fan Type/Description, CFM, and Location</u> of ALL exhaust fans, including kitchen hoods. Check box if fan is part of Whole-house Mechanical Ventilation System.

(Example: Exhaust fan, 120 CFM, Master Bathroom [x])

Indicate <u>Ventilation Control</u> (select one)

Continuous

Intermittent

 Specify location of <u>Whole House Ventilation Manual Override Control Switch</u>, if known, otherwise note as To Be Determined.

MECHANICAL VENTILATION RATE CALCULATION METHOD (choose one):

1) Table M1505.4.3(1). Indicate in table below the minimum CFM required for this residence:

TABLE M1505.4.3(1)
CONTINUOUS WHOLE-HOUSE MECHANICAL VENTILATION SYSTEM AIRFLOW RATE REQUIREMENTS

		DROOMS			
DWELLING UNIT FLOOR AREA (square feet)	0-1	2–3	4–5	6–7	> 7
	Airflow in CFM				
< 1,500	30	45	60	75	90
1,501–3,000	45	60	75	90	105
3,001–4,500	60	75	90	105	120
4,501–6,000	75	90	105	120	135
6,001–7,500	90	105	120	135	150
> 7,500	105	120	135	150	165

For SI: 1 square foot = 0.0929 m², 1 cubic foot per minute = 0.0004719 m³/s

1a) If ventilation control is intermittent, indicate in table below which rate factor is being used.

TABLE M1505.4.3(2) INTERMITTENT WHOLE-HOUSE MECHANICAL VENTILATION RATE FACTORS^{a, b}

RUN-TIME PERCENTAGE IN EACH 4-HOUR SEGMENT	25%	33%	50%	66%	75%	100%
Factor ^a	4	3	2	1.5	1.3	1.0

a. For ventilation system run-time values between those given, the factors are permitted to be determined by interpolation

2) Equation 15-1 to calculate the ventilation rate in cubic feet per minute:

b. Extrapolation beyond the table is prohibite