

Pikes Peak **REGIONAL** Building Department

COMMERCIAL PLAN REVIEW

This packet is provided to assist in assembling a successful plans review submittal. The information is a summary of construction, mechanical, plumbing, electrical and elevator plan review requirements, and is not intended as a substitute for the Code. In addition to Pikes Peak Regional Building Department, consult government departments in the jurisdiction of the project site for additional criteria (a contact list is provided on page 6 of this packet.)

PIKES PEAK REGIONAL BUILDING DEPARTMENT

The Department enforces building codes through plan reviews and site inspections; grants licenses to building and mechanical contractors, registers electrical and plumbing contractors who are licensed by the state of Colorado; oversees floodplain management; assigns new addresses; and issues permits to build, alter, convert, repair, move or demolish structures. Pikes Peak Regional Building Department provides services to:

**Colorado Springs
Manitou Springs**

**El Paso County
Monument**

**Fountain
Palmer Lake**

**Green Mountain Falls
Woodland Park (city limits only)**

COMMERCIAL PLAN REVIEW OVERVIEW

“Commercial” is defined as any type of building except one- and two-family dwellings, townhomes, and their accessory structures which are classified as “Residential.” Condominium projects are classified as “Commercial.”

A plan review fee is paid when the plan submittal is checked in at the front counter. The fee is calculated as a percentage of the Building Permit fee (refer to the current permit fee schedule). Additional fees may be incurred when a plan requires three or more reviews. Review times are subjective as every plan is reviewed in the order it is received and can vary due to the project scope and if plans must be amended and rerouted through departments. There are various submittal options available depending on the scope of the project, contact the department to discuss.

In addition to Pikes Peak Regional Building Department, governmental departments for the project site review plans for zoning, fire, engineering, traffic engineering, utilities, water, waste water, and health and environmental criteria, as applicable.

Before checking in plans, make certain all information is included and accurate. Plans cannot be amended until the conclusion of the review process, that includes the above governmental departments. Incomplete or inaccurate information will require correcting and resubmitting plans for another review which will cause a delay.

PLAN REVIEW SUBMITTALS — One complete set is required for plan review

- Code Study Form (<https://www.pprbd.org/Download/CommercialHandout#commercialHandouts>)
- Approved Development plans
- Approved Final Landscape plans
- Final plat
- Approved Grading & Erosion Control plans
- Approved water plans
- Utility plans
- Architectural plans
- Elevator plans (if applicable)
- Mechanical plans
- Plumbing plans
- Electrical plans
- Structural plans with soils report

RESUBMITTAL PROCEDURES

Plans are required to go through the entire initial review process before they can be checked back out to the applicant. Once that initial review has occurred, the applicant will need pick the plans up. If corrections are needed in order the complete the plan approval, the corrections can either be done as markups or page replacements. If the corrections needed are minor and can be done with a handwritten note, the DESIGN PROFESSIONAL OF RECORD can make the change then date and initial the change on the existing sheet. If the correction warrants a page replacement, the new page is to be inserted into the plan set and the old page removed. ALL old pages are to be returned with the corrected set upon plan resubmittal, regardless of the reason the page was replaced. This procedure is to occur PRIOR to the plan being resubmitted.

SPLICE (PLAN CHANGE) PROCEDURES

Plans may be modified after construction begins. This is referred to as a splice. To process a splice, bring in two copies of the already revised plan and check them in at the permit counter or in plan review prior to review. Plans splices follow the same plan size and scaling requirements as original plan documents. Most splices can be reviewed during walk-thru hours, however, the plan review department may request that a splice be submitted for review. If a splice is submitted, only one copy is required. There will be a fee to process a splice, with the minimum being \$50.

BASIC DESIGN INFORMATION

CODES

Jurisdictions served by Pikes Peak Regional Building Code have adopted the following codes:

- 2017 Pikes Peak Regional Building Code (PPRBC)
- 2015 International Building Code (IBC)
- 2015 International Existing Building Code (IEBC)
- 2015 International Energy Conservation Code (IECC)
- 2015 International Mechanical Code (IMC)
- 2015 International Fuel Gas Code (IFGC)
- 2015 International Plumbing Code (IPC)
- 2017 National Electrical Code (NEC)
- 2009 ICC/ANSI A117.1 Accessibility Standard
- ASME A17.1, 2013 Edition, Safety Code for Elevators & Escalators
- ASME A17.3, 2011 Edition, Safety Code for Existing Elevators & Escalators

The International Fire Code and amendments are adopted by the Fire authority. Plans are reviewed for compliance by the Zoning and Fire authorities. Contact those agencies directly for plan submittal requirements (see page 7).

The following criteria must be included on contact documents:

SNOW LOADS

Grade Plane — Average elevation of finished ground level adjacent to the building at exterior walls.

Flat Roof Snow Load — Building structure is designed for the specified uniform snow load, and cannot act concurrently with unbalance loading and drifting. Load may be reduced for slope per ASCE 7-10, **no other reductions are permitted.**

Unbalanced Loading & Drifting — Building structure is analyzed for drifting per ASCE 7-10. The specified ground snow load (p_g) is used to establish a new flat roof snow load (p_r) for this analysis only. The new value (p_r) is then used in the unbalanced loading and drifting calculations per Section 7.6, ASCE 7.

| Grade plane | Below 7000' | At or above 7000' |
|-----------------------|---|---|
| | Flat roof snow load — p_r : 30 psf uniform Unbalanced load & drifting — p_g : 20 psf | Flat roof snow load — p_r : 40 psf uniform Unbalanced load & drifting — p_g : 27 psf |
| Design factors | | |
| | Exposure Factor C_e : 1.0 Thermal Factor C_t : 1.0 Importance Factor I : 1.0 | } Minimum based on Occupancy Category per Table 1604.5 |

WIND LOADS

Basic wind speed

Category I/II: 130 mph (V_{ult})

Category III/IV: 140 mph (V_{ult})

Exposure category Exposure C required

EARTHQUAKE LOADS — Code sets spectral response factors and cannot be numerically less than the specified values.

Short period spectral response S_s : 18.5%

1-Second spectral response S_1 : 5.9%

LIVE & DEAD LOADS — Refer to Code

PREPARING THE COMMERCIAL PLANS SUBMITTAL

PROFESSIONAL SEALS & STAMPS

- The seal of a design professional licensed by the State of Colorado is required on each sheet of the commercial plans.
- The seal, wet, raised, or electronic, must be signed and dated by the design professional.
- Cut sheets and manufacturer's details must bear a seal.
- Soils reports may bear seals on the cover only.

COVER SHEET

The following information is required on the Cover Sheet of the plans submittal package.

- **Project description**
- **Site address**
- **Name, address, phone numbers** (include all design professionals associated with the project)
- **Sheet legend**
- **Vicinity map**
- **Code Study** (see below)

CODE DATA

(provided on plans, *in addition to* the Code Study Form)

SCOPE OF WORK — If the scope is self evident, a more definitive description is not required. If the submittal is part of a phased project, such as core/shell or tenant finish, the scope of work must be clarified in a written or graphical description, or both (*see next page*).

OVERALL BUILDING DESCRIPTION

- Total building area in square feet
- Height
- Number of levels (including basements)
- Area of each level in square feet

SITE DESCRIPTION OF PROPERTY

- Minimum distance to lot lines (platted, assumed, or middle of ROW) for each side of building – measured at right angles from the face of the wall.

BUILDING CODE ANALYSIS

- Occupancy classification
- Mixed Occupancies, include all that apply:
 - Accessory use
 - Non-separated uses
 - Separated uses
 - Combined
- Area in square feet of each occupancy, tabular or graphically
- Required occupancy separation
- Type of Construction
- Mixed types of construction, *provide the following*:
 - Area in square feet of each type of construction
 - Any required Fire Walls

FIRE AREAS

- Area in square feet of each "Fire Area" as defined in Code

PRESENCE OF FIRE SPRINKLERS & REASONS

Include all that apply:

- Allowable area
- Height increase
- Occupancy classification
- Basement only
- Required by other than IBC

BASIC ALLOWABLE AREA

- Non-separated occupancies worst case scenario
- Sum of ratios, if applicable
- Multi-story

ALLOWABLE AREA AND/OR HEIGHT INCREASE

- Frontage
- Sprinklers

FIRE RESISTIVE REQUIREMENTS

Refer to Code

EGRESS REQUIREMENTS

- Occupant load calculations
- Exit width calculations
- Number of exits required (total for the building and for each area of consideration)
- Door hardware as required

PLANS REVIEWED IN PHASES

Based on the scope of the work, a phased plan submittal may be accepted, but must adhere to the limited components specified. Please be aware that every phase of a phased project will obtain reviews in **all** required review departments. Each phase must be released for permitting in **all** required review departments before a permit for that phase will be issued.

FOUNDATION ONLY

- Development plan approved by Planning in project site jurisdiction
- Civil plans
 - Water approved by purveyor
 - Wastewater approved by purveyor
 - Electrical approved by purveyor
 - Landscape plan approved by zoning/planning in site jurisdiction
 - Grading erosion control plan approved by zoning/planning in site jurisdiction
- Soils Report*
- Foundation design*
- Partial structural design specifying loads to foundation, material specifications and design criteria*
- Architectural drawings to include:
 - Code data* (page 3 in this packet)
 - Dimensioned floor plan for each level drawn to scale and proposed area uses indicated
 - Elevation drawings for all building sides
 - Site specific elevator specifications (if applicable)
 - IECC compliance for envelope to determine any below grade insulation
 - Elevator pit, sump pit, and shaft wall measurements in relation to site specific elevator specifications (if applicable)
- Code Study Form application*

** Requires stamp, seal and signature by a design professional licensed by the State of Colorado*

FOUNDATION ONLY PERMIT is limited to the following scope of work:

- Below grade construction of piers, footers, foundation walls, pads and related components
- Basement slab including recessed floor or elevator pits (no above grade structure or walls)
- Underground plumbing and electrical conduit, but no wiring
- Site work and utilities permitted by other agencies or departments (not within building perimeter)

SUPERSTRUCTURE — Plans include the “**Foundation Only**” plan components as well as:

- Complete structural design to include all framing plans, sections, details.
- Roof covering and drainage
- Exterior wall construction, to include listed assemblies when applicable
- Site specific preliminary elevator shop drawings / submittals (if applicable)

Note: To be eligible for a “Superstructure” permit plans cannot include interior finishes, non-bearing walls, mechanical, electrical or plumbing with the exception of temporary power or heating during construction. In addition, fire protection systems are limited to the requirements of Code. Shafts, elevators and stair enclosures cannot be included unless they are integral to the structure.

CORE/SHELL — Plans include the “**Foundation Only**” and “**Superstructure**” plan components and core elements divided into two categories, multistory and single story, below.

MULTISTORY plans such as office buildings, hospitals, condominiums, etc. may include:

- Stair enclosures
- Shafts
- Electrical, elevator and mechanical rooms and equipment
- Interior finishes, Mechanical, Electrical and Plumbing completed **in public areas** such as lobbies, corridors and restrooms

SINGLE STORY plans, such as a retail strip mall where there is no common space, may include:

- Mechanical equipment, gas lines and duct penetrations through the roof or exterior walls
- Electrical service, electrical panels and basic lighting fixtures
- Plumbing stubs

Note: To be eligible for a Core/Shell permit, plans cannot have any finish work in a tenant space including mechanical, electrical or plumbing build outs, dropped or finished ceilings, or finished walls. Any required Fire Walls (building area) or Fire Barriers (fire areas) are allowed.

COMMERCIAL PLANS REQUIRE THE FOLLOWING INFORMATION

Architectural plans are drawn to a minimum 1/8" scale on a minimum 18" x 24" size material. Include all that is applicable to the project including but not limited to:

ARCHITECTURAL

Code Study Form

Demolition plan *if applicable*

IECC/ComCheck *if applicable*

Life safety plan *if 2 or more exits are required*

Floor plans

- Graphically indicate the scope of work
- Provide dimensions and scale
- Label proposed use of each space
- Proper exits
- Fire-rated vertical assemblies
- Indicate egress travel distance

Reflected ceiling plans

- Ceiling finish
- Fire resistance, if any
- Exit sign locations

Exterior elevations

- Indicate roofing material and slope
- Show finished grade

Sections

- Indicate fire-rated horizontal assemblies

Details

- Wall types
- Windows
- Stairs
- Restrooms dimensioned for accessibility standards

Door schedules

- Door and frame rating as required
- Hardware schedule

STRUCTURAL

- Specifications & design criteria (page 2 in this handout)
- Foundation plan with soils report
- Floor framing plan
- Roof framing plan
- Structural sections and details

FOR DETAILED ELECTRICAL, MECHANICAL, PLUMBING, AND ELEVATOR REQUIREMENTS, SEE THE FOLLOWING HANDOUTS:

- Commercial Electrical Plan Review Requirements
- Commercial Mechanical Plan Review Requirements
- Commercial Plumbing Plan Review Requirements
- Elevator Plan Review Requirements

FIRE RESISTIVE CONSTRUCTION & SEPARATION CRITERIA

Indicate all assemblies of rated construction to include, but not limited to, the following:

- Exterior walls
- Fire partitions
- Horizontal assemblies
- Fire Resistive construction based on the type of construction
- Fire barriers
- Incidental use areas
- Exit stair enclosures
- Corridors
- Fire walls
- Shaft enclosures

EXITS

This guide is intended to be used by the designer or reviewer to ensure that exiting requirements have been met. This is a summary of the most common issues regarding exiting design.

NUMBER OF EXITS REQUIRE FOR EACH SPACE

For each space under consideration on the plans, write, "Space under consideration." This may be a single room or a group of rooms having a common means of egress.

- Occupancy Classification
- Area in square feet
- Occupant load factor
- Number of occupants
- Number of exits required

SEPARATION OF EXITS

- When 2 exits are required, the distance between the exits must be equal to or more than 1/2 the diagonal dimension of the area served or 1/3 the diagonal if the building is sprinklered.
- When more than 2 exits are required, they must be arranged a reasonable distance apart so that if one exit becomes blocked, others will be available.

TRAVEL DISTANCE TO THE EXIT

- Common path of egress travel
- Exit access travel distance

TRAVEL THROUGH INTERVENING ROOMS

The code specifically prohibits travel through intervening rooms with some of the following exceptions:

- Adjoining room/area is accessory to the area served;
- It is not a high hazard (H occupancy); and
- There is a recognized path of egress to an exit.

CORRIDORS

Most occupancies (A, B, E, F, M, S, U) require corridors to be 1-hour rated unless the building is sprinklered or the occupant load served by the corridor is 30 or less.

ENCLOSURES & FIRE-RESISTIVE RATINGS

- Exit stair enclosures cannot have any openings except those required for egress from normally occupied spaces.
- Rated assemblies must address opening protectives required per code.

SHAFTS & ELEVATORS

- Elevator is considered a shaft if enclosed and must be protected as such.
- Elevator lobby is not required unless the elevator connects more than three stories.
- Elevator cannot be located in stair or exit enclosure.
- Access to an exit gained through an elevator lobby is acceptable if another exit is provided that complies with code.

The general intent of the code is to allow the occupant passage through successive spaces of increased protection from an occupied space to the public way. As an occupant reaches a higher level of protection, the passage cannot revert to a lower protective level.

DEPARTMENTS THAT REVIEW PLAN SUBMITTALS

Contact information is listed in the typical order of the review process, and includes most departments. After plans are submitted for review, you may track the progress on our web site, under PLAN CHECK, by the assigned plan number or project address.

| DEPARTMENT | PHONE | WEB |
|--|--------------|--|
| Pikes Peak Regional Building Department | | |
| Plan Review | 719-327-2880 | www.pprbd.org |
| Enumeration | 719-327-2960 | www.pprbd.org |
| Floodplain Management | 719-327-2889 | www.pprbd.org |
| Elevators | 719-327-2880 | www.pprbd.org |
| Development Services (Zoning) | | |
| Colorado Springs Development Review | 719-385-5982 | www.coloradosprings.gov |
| El Paso County Development Services | 719-520-6300 | www.co.elpasoco.com |
| Fountain Planning & Zoning | 719-322-2028 | www.fountaincolorado.org |
| Green Mountain Falls City Clerk | 719-684-9414 | www.gmfco.us |
| Manitou Springs Planning | 719-685-4398 | www.manitousprings_co.gov |
| Monument Planning | 719-481-2954 | www.townofmonument.net |
| Palmer Lake | 719-481-2953 | www.ci.palmer_lake.co.us |
| Woodland Park | 719-687-5202 | www.city-woodlandpark.org |
| Fire Authority | | |
| Colorado Springs | 719-385-5982 | www.coloradosprings.gov |
| Northeast Teller (Woodland Park) | 719-687-1866 | www.netellerfire.org |
| Engineering | | |
| Colorado Springs | 719-385-5979 | www.coloradosprings.gov |
| El Paso County | 719-520-6460 | www.co.elpasoco.com |
| El Paso County Heath Department | 719-578-8968 | www.co.elpasoco.com |
| Colorado Springs Utilities | | |
| Applications and Permits | 719-668-8111 | www.csu.org |
| Gas/Electrical Division | 719-668-8259 | www.csu.org |
| Wastewater and Water Division | 719-668-8259 | www.csu.org |

Suburban communities located outside of the city of Colorado Springs are served by several different utility providers and fire districts. Please call the appropriate phone number listed above under "Zoning" for information. Links to most cities and townships served by Regional Building Department are also available on our web site.